



Atmodoor

The Impact door with double swing action to 90° for pushcart and pedestrian traffic.

maxiflex®

The ideal door where privacy into restricted areas and appearance are major considerations. The Atmodoor creates a visual barrier between different areas and assists with environmental control helping to save on energy costs.

Standard Specifications

Door thickness: 15mm

Door material: HDPE (high-density polyethylene)

Windows: 400mm x 600mm Acrylic/polycarb windows 15mm thick

Hinges: 90 degree stop hinge with a stainless steel rod

Mounting: 2 x easy-mount plate

Colour: Grey


Features:

- Washable with a high-pressure washer
- Temperature range: -30° to 60° Celsius
- Maintenance-free
- Made of solid material - not breakable
- Short production time
- Suitable for pushcarts and pedestrians
- Hygienic
- Works as a visual barrier for privacy
- Long service life
- Easy installation
- Available as a single or double door
- Made to measure
- Maximum door height - 2,5m
- Maximum door width - 2,5m

Opening angle 2 x 90°



Stop hinge with easy-mount plate



Atmodoor with optional locks, push plates and kick plates

Optional Extras

- Stainless steel kick plates
- Locks
- Stainless steel push plates
- Stainless steel handles
- Bumpers
- Stainless steel frames
- Smaller window design
- Additional hinges
- Other colours available on request

Applications:

- Retail and Supermarkets
- Hotels and Restaurants
- Food industry
- Pharmacies
- Processing plants
- Industrial Kitchens

